

July 2022



Buy online with **FREE UK delivery!**

Access Panel Guide



And Many More!

FlipFix Access Panels

FLIPFIX

What is the Flipfix Fitting Device?

There is no longer a need to brace or support the structural opening, and no extra screws or glue required. You simply follow the fitting instructions, close the door and walk away.

A construction project requiring 300 number 600mm x 600mm Access Panels would save up to 40 hours on fitting time Compared to traditional Access Panels when using FlipFix. That amounts to reducing the time spent on site by one whole week plus materials, which should hopefully reflect in future tender submissions.



FlipFix Fitting Device

Unique Flipfix fitting device which saves 80% on fitting time compared to a standard access panel. No screws, glues or additional materials required.



Flush Lock (FL)

No more broken or missing bungs. Spring loaded flush lock, supplied on most Flipfix products which provides a sleek discreet finish.



Mitreless Frame (PF)

Mitreless picture frame available on our stock range sizes up to 600x600mm. Frame is manufactured from one piece of steel meaning no mitred joints. This gives a more robust product with a professional discreet finish so less snagging on site.



Plasterboard Panel (PD)

Dual Purpose plasterboard faced panel supplied with a beaded frame as standard (picture frame is available upon request). Suitable for plastering within the wall or ceiling providing a discreet finish which can then be decorated. Available in fire and none fire rated options.



Metal Panel (MD)

Dual purpose metal faced panel supplied with a picture or beaded frame. These panels are suitable for installing into a pre-cut hole. Supplied RAL 9010 30% gloss as standard other colour options available upon request, including primed for decoration on site. Available in fire and none fire rated options.



Circular Panel (CIR)

Ceiling only metal faced panel supplied with a picture or beaded frame. These panels are suitable for installing into a pre-cut hole. Supplied RAL 9010 30% gloss as standard other colour options available upon request, including primed for decoration on site. Available in fire and none fire rated options.



Tile Panel (TD)

Wall only moisture board faced panel to take ceramic tiles on site supplied with a beaded frame as standard. Fitted with a budget lock as standard, other lock options available upon request. These panels can be tiled over providing a discreet finish with the rest of the wall. Available none fire rated only.

- ✓ 80% Faster Fitting
- ✓ Reusable
- ✓ Easy to Fit
- ✓ No Extra Materials Needed
- ✓ Walls / Ceiling
- ✓ Fire Rating
- ✓ Extra Lock options
- ✓ Durable
- ✓ Pop out Template on stock sizes
- ✓ Excellent Finish

Visit our website at www.tradeaccesspanels.co.uk or call us on 01922 500145

 TradeAccess Panels

RapidFit Riser Doors



What is the RapidFit Sliding Hinge?

The RapidFit hinge system allows quick and easy installation by reducing door fitting times on site by as much as 95% compared to the traditional piano hinge system.


The Access Panel door is installed into the frame by aligning the spring loaded hinge pins and clicking them into place.

This panel has been tested and can save you up to 30 Minutes per panel on installation times when compared to an 1800 x 600mm traditional piano hinge Access Panel.



RapidFit Sliding Hinge

Spring loaded Rapid Fit pin hinge, quicker to install than a piano hinge riser door.



Fitting Video



Double Sided Fire Rating

Our newly updated R51 Riser Doors now come with the option to be Fire Rated from both sides, providing an extra level of protection from flame.



Airtight Rating

Available air pressure tested in product ranges up to class 4 when tested at 600pa.



Plasterboard Door (R53)

Wall only plasterboard faced panel supplied with a beaded door & frame as standard (picture frame is available upon request). Suitable for plastering within the wall providing a discreet finish which can then be decorated. Available in fire and none fire rated options.



One Person Installation

Easy installation by one person, simply lift the door locate the bottom pin and slide the spring loaded pin along the top frame until it clicks into place.



Acoustic Rating

Available acoustic rated up to 37Db.



Metal Door (R51, R57)

Wall only metal faced panel supplied with a picture or beaded frame. These panels are suitable for retro fitting to a pre-cut hole. Supplied RAL 9010 30% gloss as standard other colour options available upon request, including primed for decoration on site. Available in fire and none fire rated options.

✓ 30mins Quicker to fit

✓ Fire Rating

✓ Acoustic Available

✓ Airtight Available

✓ Easy to Fit

✓ One man fit

✓ Smoke Tested Available

✓ Intumescent Strips

Antibacterial Access Panels

What is it?

Our Antibacterial Powder Coat is available on all our Metal Faced Access Panels and features an effective antibacterial agent which kills most species of bacteria including...

- MRSA
- Salmonella
- E coli
- C difficile.



Hygienilac has achieved >Log 3 (99.9%) kill rates over a 24 hour period against the following bacteria:

- | | | |
|----------------------------|-------------------------------------|----------------------------|
| ✓ Klebsiella Pneumonia | ✓ Staphylococcus Aureus Methicillin | ✓ Saccharomyces Cerevisiae |
| ✓ Aspergillus Niger | resistant strain (MRSA) | ✓ Salmonella Enteriditis |
| ✓ Pseudomonas Aeruginosa | ✓ Listeria Monocytogenes | ✓ Escherichia Coli |
| ✓ Penicillium Purpurogenum | ✓ Clostridium Difficile | ✓ Staphylococcus Aureus |
| ✓ Bacillus Cereus | | |

Anti Bacterial panels are suitable for installation into places such as...



Hospitals



Laboratorys



Commercial Areas



Clean Room




Schools

Also available with an Airtight Rating tested in accordance with **EN 1634-3: 2004 & BS 5368: Part 1: 1976**



Metal Faced Access Panels

Walls / Ceilings



Features

Fitting: Suitable for installation in to both walls and ceilings.

Fire Rating: Available up to 2 Hours Fire rated.

Frame Types: Mitreless Picture Frame or Standard Beaded Frame.

Lock Types: Flush Lock as standard (others available).

Finish: RAL 9010 30% Gloss White (others available).

Installation: The unique FlipFix Fitting Device (for more information scan the QR code below).



FlipFix
Flush Lock



FlipFix Fitting
Device



Up to 2 Hour
Fire Rated



Beaded or Picture
Frame



Datasheet (000)



Datasheet (060)



Datasheet (120)



Fitting Video

Non Fire Rated

FF/000/MD/PF/FL

Stock Sizes (mm)

150 x 150	200 x 200
300 x 300	450 x 450
550 x 550	600 x 300
600 x 600	900 x 600
1200 x 600	

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

1 Hour Fire Rated

FF/060/MD/PF/FL

Stock Sizes (mm)

150 x 150	200 x 200
300 x 300	450 x 450
550 x 550	600 x 300
600 x 600	900 x 600
1200 x 600	

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

2 Hour Fire Rated

FF/120/MD/PF/FL

Stock Sizes (mm)

150 x 150	200 x 200
300 x 300	450 x 450
550 x 550	600 x 300
600 x 600	900 x 600
1200 x 600	

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

FlipFix (FF) Non Fire Rated (000) Metal Faced
(MD) Picture Frame (PF) Flush Lock (FL) Walls
& Ceilings.

FlipFix (FF) 1 Hour Fire Rated (060) Metal
Faced (MD) Picture Frame (PF) Flush Lock (FL)
Walls & Ceilings.

FlipFix (FF) 2 Hour Fire Rated (120) Metal
Faced (MD) Picture Frame (PF) Flush Lock (FL)
Walls & Ceilings.

Stock Sizes shown, Bespoke sizes available upon request

Email us at sales@tradeaccesspanels.co.uk or call us on 01922 500145

TradeAccess Panels



Plasterboard Faced Access Panel

Walls / Ceilings



Features

Fitting: Suitable for installation in to both walls and ceilings.

Fire Rating: Available up to 2 Hours Fire rated.

Frame Types: Beaded Frame (Picture Frame available).

Lock Types: Budget Lock as standard (others available).

Finish: RAL 9010 30% Gloss White (others available).

Plasterboard Door to be plastered on site.

Installation: The unique FlipFix Fitting Device (for more information scan the QR code below).



10 Year
Warranty



FlipFix Fitting
Device



Up to 2 Hour
Fire Rated



Beaded or Picture
Frame



Datasheet (000)



Datasheet (060)



Datasheet (120)



Fitting Video

Non Fire Rated

FF/000/PD/BF/BL

Stock Sizes (mm)

150 x 150	200 x 200
300 x 300	450 x 450
550 x 550	600 x 300
600 x 600	

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

1 Hour Fire Rated

FF/060/PD/BF/BL

Stock Sizes (mm)

150 x 150	200 x 200
300 x 300	450 x 450
550 x 550	600 x 300
600 x 600	

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

2 Hour Fire Rated

TAP54/120/PD/BF/3WL/SW

Sizes (Single Door)

300 x 300
up to
1800 x 750

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

FlipFix (FF) Non Fire Rated (000) Plasterboard
Faced (PD) Beaded Frame (BF) Budget Lock
(BL) Walls & Ceilings.

FlipFix (FF) 1 Hour Fire Rated (060)
Plasterboard Faced (PD) Beaded Frame (BF)
Budget Lock (BL) Walls & Ceilings.

RapidFit Range 54 (R54) 2 Hour Fire Rated
(120) Plasterboard Faced (PD) Beaded
Frame (BF) 3 Way Lock (3W) Single Door
unit, Safety Wire Attached (SW)

Stock Sizes shown, Bespoke sizes available upon request

Email us at sales@tradeaccesspanels.co.uk or call us on 01922 500145




TradeAccess Panels



Tile Faced Access Panel

Walls Only



Features

Fitting: Suitable for installation in to walls only.

Fire Rating: Non Fire Rated (Fire Rating alternative panels available).

Frame Types: Beaded Frame (Picture Frame available).

Lock Types: Budget Lock as standard (others available).

Finish: Interior Finish RAL 9010 30% Gloss White
(others available).

Tile Door to be Tiled on site.

Installation: The unique FlipFix Fitting Device (for more information scan the QR code below).



10 Year
Warranty



FlipFix Fitting
Device



Non Fire
Rated



Beaded
Frame



Datasheet (BL)



Datasheet (TC)



Fitting Video

Budget Lock Tile

FF/000/TD/BF/BL

Sizes (Wall)	Sizes (Ceiling)
150 x 150	N/A
up to	up to
600 x 600	N/A

For a panel price get
in touch with our sales

team at:

sales@tradeaccesspanels.co.uk

FlipFix (FF) Non Fire Rated (000) Tile Faced
(TD) Beaded Frame (BF) Touch Catch (BL)

Walls only.

Touch Catch Tile

FF/000/TD/BF/TC

Sizes (Wall)	Sizes (Ceiling)
150 x 150	N/A
up to	up to
600 x 600	N/A

For a panel price get
in touch with our sales

team at:

sales@tradeaccesspanels.co.uk

FlipFix (FF) Non Fire Rated (000) Tile Faced
(TD) Beaded Frame (BF) Touch Catch (TC)

Walls only.

Stock Sizes shown, Bespoke sizes available upon request

Email us at sales@tradeaccesspanels.co.uk or call us on 01922 500145



Trade Access Panels



Circular Access Panel

Ceilings Only



Features

Fitting: Suitable for installation in to ceilings only.

Fire Rating: Available up to 2 Hours Fire rated.

Frame Types: Picture Frame only.

Lock Types: No lock, Safety wire attached (others available).

Finish: RAL 9010 30% Gloss White (others available).

Installation: The unique FlipFix Fitting Device (for more information scan the QR code below).



10 Year
Warranty



FlipFix Fitting
Device



Up to 2 Hour
Fire Rated



Beaded or Picture
Frame



Datasheet (060)



Datasheet (120)



Fitting Video

1 Hour Fire Rated

FF/060/MD/PF/NL/CIR/SW

Sizes (dia)

200	293
450	600

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

FlipFix (FF) 1 Hour Fire Rated (060) Metal
Faced (MD) Picture Frame (PF) No Lock (NL)
Circular (CIR) Safety Wire Attached (SW)
Ceilings Only.

2 Hour Fire Rated

FF/120/MD/PF/NL/CIR

Sizes (dia)

200
293

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

FlipFix (FF) 2 Hour Fire Rated (120) Metal
Faced (MD) Picture Frame (PF) No Lock (NL)
Circular (CIR) Safety Wire Attached (SW)
Ceilings Only.

Stock Sizes shown, Bespoke sizes available upon request

Email us at sales@tradeaccesspanels.co.uk or call us on 01922 500145




Trade Access Panels



TAP51/120s Metal Faced Riser Door

Walls Only



Features

Fitting: Suitable for installation in to walls only.

Fire Rating: Available up to 2 Hours Fire rated on both sides.

Frame Types: Picture Frame or Standard Beaded Frame.

Lock Types: 3 Way Lock as standard (others available).

Finish: RAL 9010 30% Gloss White (others available).

Installation: This panel is equipped with the RapidFit Hinge System ensuring a speedy installation.



10 Year
Warranty



RapidFit
Hinge
System



Up to 2 Hour
Fire Rated
both sides



Beaded or
Picture
Frame



Smoke &
Intumescent
Strips



Datasheet (000)



Datasheet (120)



Fitting Video

2 Hour Fire Rated

TAP51/120S/MD/PF/3WL

Sizes
(Single Door)

300 x 300

up to

2400 x 900

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

RapidFit Range 51 (TAP51) 2 Hour Fire Rated

from both sides (120S) Metal Faced (MD)

Picture Frame (PF)


3 Way Lock (3WL) Walls Only.





TAP51 Metal Faced Riser Door

Walls Only



Features

Fitting: Suitable for installation in to walls only.

Fire Rating: Available up to 2 Hours Fire rated on both sides.

Frame Types: Picture Frame or Standard Beaded Frame.

Lock Types: 3 Way Lock as standard (others available).

Finish: RAL 9010 30% Gloss White (others available).

Installation: This panel is equipped with the RapidFit Hinge System ensuring a speedy installation.



10 Year
Warranty



RapidFit Hinge
System



Up to 2 Hour
Fire Rated
both sides



Beaded or Picture
Frame



Acoustic Rating
Available



Datasheet (000)



Datasheet (120)



Fitting Video

Non Fire Rated

TAP51/000/MD/PF/3WL

Sizes (Single Door)	Sizes (Double Door)
300 x 300	600 x 600
up to	up to
2400 x 900	2400 x 1800

For a panel price get
in touch with our sales

team at:

sales@tradeaccesspanels.co.uk

RapidFit Range 51 (TAP51) Non Fire Rated
(000) Metal Faced (MD) Picture Frame (PF)
3 Way Lock (3WL) Walls Only.

2 Hour Fire Rated

TAP51/120/MD/PF/3WL

Sizes (Single Door)	Sizes (Double Door)
300 x 300	600 x 600
up to	up to
2400 x 1800	2400 x 1800

For a panel price get
in touch with our sales

team at:

sales@tradeaccesspanels.co.uk


RapidFit Range 51 (TAP51) 2 Hour Fire Rated
(120) Metal Faced (MD) Picture Frame (PF)
3 Way Lock (3WL) Walls Only.





TAP57 Metal Faced Riser Door

Walls Only



Features

Fitting: Suitable for installation in to walls only.

Fire Rating: Available up to 2 Hours Fire rated.

Frame Types: Picture or Beaded Frame.

Lock Types: 3 Way Lock as standard (others available).

Finish: RAL 9010 30% Gloss White (others available).

Installation: This panel is equipped with the RapidFit.

Hinge System ensuring a speedy installation.



10 Year
Warranty



RapidFit Hinge
System



2 Hour
Fire Rated



Beaded or Picture
Frame



Datasheet (000)



Datasheet (060)



Datasheet (120)



Fitting Video

Non Fire Rated

TAP57/000/MD/PF/3WL

Sizes (Single Door)	Sizes (Double Door)
300 x 300	300 x 300
up to	up to
2000 x 900	2000 x 1800

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

1 Hour Fire Rated

TAP57/060/MD/PF/3WL

Sizes (Single Door)
300 x 300
up to
1900 x 650

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

2 Hour Fire Rated

TAP57/120/MD/PF/3WL

Sizes (Single Door)
300 x 300
up to
1900 x 650

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

RapidFit Range 57 (TAP57) Non Fire Rated
(000) Metal Faced (MD) Picture Frame (PF) 3
Way Lock (3W) Walls Only.

RapidFit Range 57 (TAP57) 1 Hour Fire Rated
(060) Metal Faced (MD) Picture Frame (PF)
3 Way Lock (3W) Walls Only.

RapidFit Range 57 (TAP57) 2 Hour Fire Rated
(120) Metal Faced (MD) Picture Frame (PF)
3 Way Lock (3W) Walls Only.





TAP53 Plasterboard Riser Doors

Walls Only



Features

Fitting: Suitable for installation in to walls only.

Fire Rating: Available up to 2 Hours Fire rated.

Frame Types: Beaded Frame only.

Lock Types: 3 Way Lock as standard (others available).

Finish: Interior Finish RAL 9010 30% Gloss White
(others available).

Plasterboard Door to be plastered on site.

Installation: This panel is equipped with the RapidFit Hinge System ensuring a speedy installation.



10 Year
Warranty



RapidFit Hinge
System



Up to 2 Hour
Fire Rated



Beaded or Picture
Frame



Datasheet (000)



Datasheet (060)



Datasheet (120)



Fitting Video

Non Fire Rated

TAP53/000/MD/PF/3WL

Sizes (Single Door)	Sizes (Double Door)
300 x 300	600 x 600
up to	up to
2400 x 900	2400 x 1800

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

1 Hour Fire Rated

TAP53/060/MD/PF/3WL

Sizes (Single Door)	Sizes (Double Door)
300 x 300	600 x 600
up to	up to
2000 x 900	2000 x 1800

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

2 Hour Fire Rated

TAP53/120/MD/PF/3WL

Sizes (Single Door)
300 x 300
up to
2000 x 600

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

RapidFit Range 53 (TAP53) Non Fire Rated
(000) Plasterboard Faced (PD) Beaded Frame
(BF) 3 Way Lock (3WL) Walls Panel

RapidFit Range 53 (TAP53) 1 Hour Fire Rated
(060) Plasterboard Faced (PD) Beaded Frame
(BF) 3 Way Lock (3WL) Walls Panel

RapidFit Range 53 (TAP53) 2 Hour Fire Rated
(120) Plasterboard Faced (PD) Beaded Frame
(BF) 3 Way Lock (3WL) Walls Panel





TAP01 Slim Fit Access Panels

Walls / Ceilings

Features

Fitting: Suitable for installation in to both walls and ceilings.

Fire Rating: Available up to 2 Hours Fire rated.

Frame Types: Picture or Beaded Frame.

Acoustic Rating: Available up to 30dB Rated.

Airtight Rating: Available Airtight.

Lock Types: Budget Lock as standard (others available).

Finish: RAL 9010 30% Gloss White (others available).

Other Features: Smoke sealed available, also provided with extending fixing tabs.

Installation: Traditional Fitting Method (for more information scan the QR code below).



Airtight
Available



Acoustic Rating
Available



Up to 2 Hour
Fire Rated



Available Smoke
Sealed



Datasheet (000)



Datasheet (060)



Datasheet (120)



Fitting Video

Non Fire Rated

TAP01/000/MD/PF/BL

Sizes (Walls)	Sizes (Ceilings)
150 x 150	150 x 150
up to	up to
1200 x 1000	1200 x 1000

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

1 Hour Fire Rated

TAP01/060/MD/PF/BL

Sizes (Walls)	Sizes (Ceilings)
150 x 150	150 x 150
up to	up to
1200 x 600	1200 x 600

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

2 Hour Fire Rated

TAP01/120/MD/PF/BL

Sizes (Walls)	Sizes (Ceilings)
150 x 150	150 x 150
up to	up to
1200 x 600	1200 x 600

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

Range 01 (TAP01) Non Fire Rated (000) Metal
Faced (MD) Picture Frame (PF) Budget Lock
(BL) Walls & Ceilings.

Range 01 (TAP01) 1 Hour Fire Rated (060)
Metal Faced (MD) Picture Frame (PF) Budget
Lock (BL) Walls & Ceilings.

Range 01 (TAP01) 2 Hour Fire Rated (120)
Metal Faced (MD) Picture Frame (PF) Budget
Lock (BL) Walls & Ceilings.





TAP02 Metal Access Panels

Walls Only

Features

Fitting: Suitable for installation in to Walls only.

Fire Rating: Available up to 4 Hours Fire rated.

Frame Types: Picture or Beaded Frame.

Acoustic Rating: Available up to 46dB Rated.

Airtight Rating: Available Airtight.

Lock Types: Various Lock Types Available.

Finish: RAL 9010 30% Gloss White (others available).

Installation: Traditional Fitting Method (for more information scan the QR code below).



Airtight
Available



Acoustic Rating
Available



4 Hour Fire
Rated Available



Can be
Insulated



Datasheet (000)



Datasheet (060)



Datasheet (120)



Fitting Video

Non Fire Rated

TAP02/000/MD/PF/BL

Sizes (Wall) Sizes (Ceiling)

200 x 200	200 x 200
up to	up to
2600 x 2000	2600 x 2000

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

1 Hour Fire Rated

TAP02/060/MD/PF/3WL

Sizes (Wall) Sizes (Ceiling)

300 x 300	300 x 300
up to	up to
2600 x 2000	2600 x 2000

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

2 Hour Fire Rated

TAP02/120/MD/PF/3WL

Sizes (Wall) Sizes (Ceiling)

300 x 300	300 x 300
up to	up to
2600 x 2000	2600 x 2000

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

Range 02 (TAP02) Non Fire Rated (000) Metal
Faced (MD) Picture Frame (PF)
Budget Lock (BL) Walls Panel

Range 02 (TAP02) 1 Hour Fire Rated (060)
Metal Faced (MD) Picture Frame (PF)
3 Way Lock (3WL) Walls Panel

Range 02 (TAP02) 2 Hour Fire Rated (120)
Metal Faced (MD) Picture Frame (PF)
3 Way Lock (3WL) Walls Panel





TAP05 Loft Hatch

Ceiling Only

Features

Fitting: Suitable for installation in to ceilings only.

Fire Rating: Available up to 1 Hours Fire rated.

Frame Types: Picture or Beaded Frame.

Lock Types: Budget Lock as standard (others available).

Finish: RAL 9010 30% Gloss White (others available).

Installation: Traditional Fitting Method (for more information scan the QR code below).



Insulated
Panel



Many lock types
available



1 Hour
Fire Rated



Beaded or Picture
Frame



Datasheet (000)

1 Hour Fire Rated

TAP05/060/MD/PF/3WL

Sizes (Single Door)	Sizes (Double Door)
300 x 300	300 x 600
up to	up to
1000 x 1000	1175 x 1175

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

Range 05 (TAP05) 1 Hour Fire Rated (060)

Metal Faced (MD) Picture Frame (PF)

3 Way Lock (3WL) Ceilings Only.

U-Value of 1.01 W/m2K.





TAP12 Loft Hatch

Ceiling Only

Features

Fitting: Suitable for installation in to ceilings only.

Fire Rating: Available up to 1 Hours Fire rated.

Frame Types: Picture or Beaded Frame.

Lock Types: Budget Lock as standard (others available).

Finish: RAL 9010 30% Gloss White (others available).

Other Features: Lower U-Value on the 30 Minutes Fire Rated panel.

Installation: Traditional Fitting Method (for more information scan the QR code below).



NEW



Lower
U-Value



Many lock types
available



Up to 1 Hour
Fire Rated



Beaded or Picture
Frame



Datasheet (000)



Datasheet (030)



Datasheet (060)

Non Fire Rated

TAP12/000/MD/PF/BL

Sizes (Wall)	Sizes (Ceiling)
N/A	450 x 450
up to	up to
N/A	1000 x 1000

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

Range 12 (TAP12) Non Fire Rated (000) Metal
Faced (MD) Picture Frame (PF) Budget Lock
(BL) Ceilings Only.
U-Value of 0.760 W/m2K.

NEW

30 Minutes Fire Rated

TAP12/030/MD/PF/3WL

Sizes (Wall)	Sizes (Ceiling)
N/A	450 x 450
up to	up to
N/A	1200 x 900

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

Range 12 (TAP12) 30 Minutes Fire Rated (030)
Metal Faced (MD) Picture Frame (PF) 3 Way
Lock (3WL) Ceilings Only.
U-Value of 0.34 W/m2K

1 Hour Fire Rated

TAP12/060/MD/PF/3WL

Sizes (Wall)	Sizes (Ceiling)
N/A	450 x 450
up to	up to
N/A	575 x 740

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

Range 12 (TAP12) 1 Hour Fire Rated (060)
Metal Faced (MD) Picture Frame (PF) 3 Way
Lock (3WL) Ceilings Only.
U-Value of 0.567 W/m2K





Plastic Access Panels

Walls / Ceilings



Features

Fitting: Suitable for installation in to both walls and ceilings.

Fire Rating: Non Fire Rated Panel.

Frame Types: Picture Frame, Textured Finish.

Lock Types: No Lock Required.

Finish: Textured Finish.



10 Year
Warranty



Easy to
Fit



No Lock
Fitted



Picture Frame
Textured Finish

Non Fire Rated

TAP15/000/PL/PF/NL

Stock Sizes (mm)

102 x 152	152 x 228
203 x 203	300 x 300
355 x 355	558 x 558

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

Traditional Plastic Panel (TAP15) Non Fire
Rated (000) Plastic Door (PL) Picture Frame
(PF) No Lock (NL) Walls & Ceilings.

Stock Sizes shown, Bespoke sizes available upon request

Email us at sales@tradeaccesspanels.co.uk or call us on 01922 500145



Trade Access Panels



TAP16 Fire Rated Meter Overbox

Walls Only



Features

Fitting: Suitable for installation in to Walls only.

Fire Rating: Available up to 2 Hours Fire Rated.

Frame Types: Picture Frame Panel

Lock Types: 8mm Triangular Electrical Cabinet Insert (other locks available upon request)

Finish: Powder coated White RAL 9010 30% Gloss (other colours available upon request)



Wall
Application



up to 1070mm high
650mm wide



Up to 2 Hour
Fire Rated



10 Year
Warranty

2 Hour Fire Rated

TAP16/**120**/MD/PF/BL/8TRI

Sizes (mm)

600 x 400	700 x 500
800 x 550	900 x 600
1065 x 645	

For a panel price get
in touch with our sales
team at:

sales@tradeaccesspanels.co.uk

Metal Meter Overbox (TAP16) 2 Hour Fire
Rated (120) Metal Door (MD) Picture Frame
(BL) Budget Lock (8TRI) 8mm Triangular
Electrical Cabinet Insert.

Stock Sizes shown, Bespoke sizes available upon request

Email us at sales@tradeaccesspanels.co.uk or call us on 01922 500145



TradeAccess Panels

Lock Guide




FlipFix Flush Lock FL (FL)

The brand new FlipFix Flush Lock, replacing the bung on the front of the panel for a sleek clean design.



Budget Lock BL (L11A)

This lock is the standard Access Panel lock. The lock has a mild steel casing with a spring mechanism, and is operated with a square key.



3 Way Lock 3WL (L12A)

This lock enables the panels to be locked on 3 sides with one key operation. The lock connects with two rods which lock into the sides of the panel.



5mm Bit 5B (L13A)

This lock can be used with the Budget Lock, the 3 Way Lock and the Euro Lock. The insert provides a medium level of security.



Key Retaining Lock KRL (L14A)

This can be used with the Budget Lock, the 3 Way Lock and the Euro Lock. The key can only be removed when the panel is locked. This provides a medium level of security.



Suited Key Lock SKL (L15A)

Suited Locks are used where a number of Access Panels are required to be opened using the same key formation. One key fits all the locks. Non Fire Rated only.



Castellated Key Lock CKL (L16A)

Suited Locks are used where a number of Access Panels are required to be opened using the same key formation. One key fits all the locks. Suitable for Fire Rated Access Panels



3 Point Euro Cylinder Lock 3WL-EP (L19A)

This lock enables the panels to be locked on 3 sides. The lock contains a central tongue, with rods locking in to the sides of the panel, and uses a security key.



Touch Catch TC (L20A)

This is a light duty touch catch. The catch is used where the customer wants a clean panel face, or wherever a discreet locking mechanism is required.



Strengthened Touch Catch STC (L21A)

This is a heavy duty touch catch. The catch is used where the customer wants a clean panel face, or wherever a discreet locking mechanism is required.



3 Way Lock with Thumb Turn 3WL/TT (L29A)

This lock enables the panels to be locked on 3 sides with one key operation. The lock connects with two rods which lock into the sides of the panel with thumb turn cylinder to open.

Contact Details

Trade Access Panels Ltd

Units 4 & 5 Central Park

Progress Drive

Cannock

Staffordshire



WS11 0JF

Tel: **01922 500 145**

Email: **sales@tradeaccesspanels.co.uk**

Web: **tradeaccesspanels.co.uk**

We also offer...



Email us at sales@tradeaccesspanels.co.uk or call us on **01922 500 145**

Visit our website: www.tradeaccesspanels.co.uk